

LOCK FITTINGS

PN6


ΡΑΚΟΡ ΤΥΠΟΥ LOCK

3251

PN6

Male Connection

Ρακόρ Αρσενικό



MALE CONNECTION
ΡΑΚΟΡ ΑΡΣΕΝΙΚΟ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ


CODE ΚΩΔΙΚΟΣ	Ø X inch	Dimensions - (mm) - Διαστάσεις		
		A	B	G(inch)
3251/0161	16 X 1/2"	66,0	15,0	1/2"
3251/0162	16 X 3/4"	75,0	16,0	3/4"
3251/0163	16 X 1"	78,5	17,0	1"
3251/0201	20 X 1/2"	66,0	15,0	1/2"
3251/0202	20 X 3/4"	73,5	16,0	3/4"
3251/0203	20 X 1"	77,0	17,0	1"
3251/0252	25 X 3/4"	79,0	15,0	3/4"
3251/0253	25 X 1"	80,0	17,0	1"
3251/0322	32 X 3/4"	90,0	15,0	3/4"
3251/0323	32 X 1"	91,0	17,5	1"
3251/0324	32 X 1 1/4"	100,0	24,5	1 1/4"

3261

PN6

Quick Coupling

Σύνδεσμος Ρακόρ



QUICK COUPLING
ΣΥΝΔΕΣΜΟΣ ΡΑΚΟΡ




SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø X Ø	Dimensions - (mm) - Διαστάσεις
		A
3261/1616	16 X 16	99,0
3261/2016	20 X 16	99,0
3261/2020	20 X 20	99,0
3261/2516	25 X 16	105,0
3261/2520	25 X 20	105,0
3261/2525	25 X 25	105,0
3261/3220	32 X 20	115,0
3261/3225	32 X 25	116,0
3261/3232	32 X 32	127,0

LOCK FITTINGS PN6 ΠΑΚΟΡ ΤΥΠΟΥ LOCK

3250 PN6 Female Connection Ρακόρ Θηλυκό




FEMALE CONNECTION
ΡΑΚΟΡ ΘΗΛΥΚΟ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø X inch	Dimensions - (mm) - Διαστάσεις		
		A	B	G(inch)
3250/0161	16 X 1/2"	70,0	16,0	1/2"
3250/0162	16 X 3/4"	72,5	20,5	3/4"
3250/0201	20 X 1/2"	70,0	16,0	1/2"
3250/0202	20 X 3/4"	72,5	20,5	3/4"
3250/0251	25 X 1/2"	75,0	20,0	1/2"
3250/0252	25 X 3/4"	75,0	20,0	3/4"
3250/0253	25 X 1"	75,0	20,0	1"

3271 PN6 Terminal Τερματικό Ρακόρ



TERMINAL
ΤΕΡΜΑΤΙΚΟ ΡΑΚΟΡ




SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø	Dimensions - (mm) - Διαστάσεις	
		A	
3271/0016	16	54,0	
3271/0020	20	54,0	
3271/0025	25	62,0	
3271/0032	32	71,0	

LOCK FITTINGS PN6 ΡΑΚΟΡ ΤΥΠΟΥ LOCK

3281 PN6 Tee Connection Male Ταφ Ρακόρ Αρσενικό




TEE CONNECTION
MALE
ΤΑΦ ΡΑΚΟΡ ΑΡΣΕΝΙΚΟ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø X inch X Ø	Dimensions - (mm) - Διαστάσεις			
		A	B	C	G(inch)
3281/0161	16 X 1/2" X 16	123,0	56,0	15,0	1/2"
3281/0162	16 X 3/4" X 16	123,0	59,0	16,5	3/4"
3281/0163	16 X 1" X 16	123,0	60,5	18,0	1"
3281/0201	20 X 1/2" X 20	123,0	56,0	15,0	1/2"
3281/0202	20 X 3/4" X 20	123,0	59,0	16,5	3/4"
3281/0203	20 X 1" X 20	123,0	60,5	18,0	1"
3281/0251	25 X 1/2" X 25	126,0	62,0	15,5	1/2"
3281/0252	25 X 3/4" X 25	126,0	64,0	17,0	3/4"
3281/0253	25 X 1" X 25	126,0	65,5	18,0	1"
3281/0321	32 X 1/2" X 32	158,0	76,0	15,0	1/2"
32810322	32 X 3/4" X 32	158,0	80,0	16,0	3/4"
3281/0323	32 X 1" X 32	158,0	82,0	18,0	1"
3281/0324	32 X 1 1/4" X 32	158,0	88,5	24,5	1 1/4"

3285 PN6 Tee Connection Female Ταφ Ρακόρ Θηλυκό



TEE CONNECTION
FEMALE
ΤΑΦ ΡΑΚΟΡ ΘΗΛΥΚΟ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ


CODE ΚΩΔΙΚΟΣ	Ø X inch X Ø	Dimensions - (mm) - Διαστάσεις			
		A	B	C	G(inch)
3285/0161	16 X 1/2" X 16	123,0	58,0	16,0	1/2"
3285/0162	16 X 3/4" X 16	123,0	61,0	19,0	3/4"
3285/0163	16 X 1" X 16	123,0	63,0	21,0	1"
3285/0201	20 X 1/2" X 20	123,0	58,0	16,0	1/2"
3285/0202	20 X 3/4" X 20	123,0	61,0	19,0	3/4"
3285/0203	20 X 1" X 20	123,0	63,0	21,0	1"
3285/0251	25 X 1/2" X 25	126,0	63,0	16,0	1/2"
3285/0252	25 X 3/4" X 25	126,0	66,0	19,5	3/4"
3285/0253	25 X 1" X 25	126,0	68,0	21,0	1"
3285/0322	32 X 3/4" X 32	158,0	83,0	19,0	3/4"
3285/0323	32 X 1" X 32	158,0	85,0	21,0	1"

LOCK FITTINGS

PN6

ΡΑΚΟΡ ΤΥΠΟΥ LOCK

3291 PN6 Tee Quick Coupling Σύνδεσμος Ταφ Ρακόρ




TEE QUICK COUPLING
ΣΥΝΔΕΣΜΟΣ ΤΑΦ ΡΑΚΟΡ



CODE ΚΩΔΙΚΟΣ	Ø X Ø X Ø	Dimensions - (mm) - Διαστάσεις	
		A	B
3291/1616	16 X 16 X 16	123,0	84,0
3291/1620	16 X 20 X 16	123,0	84,0
3291/2016	20 X 16 X 20	123,0	84,0
3291/2020	20 X 20 X 20	123,0	84,0
3291/2025	20 X 25 X 20	123,0	84,0
3291/2516	25 X 16 X 25	126,0	84,0
3291/2520	25 X 20 X 25	126,0	89,0
3291/2525	25 X 25 X 25	126,0	89,0
3291/3220	32 X 20 X 32	158,0	104,0
3291/3225	32 X 25 X 32	158,0	112,0
3291/3232	32 X 32 X 32	158,0	116,0

3300 PN6 Elbow Quick Coupling Γωνία Σύνδεσμος Ρακόρ




ELBOW QUICK COUPLING
ΓΩΝΙΑ ΣΥΝΔΕΣΜΟΣ ΡΑΚΟΡ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ		
CODE ΚΩΔΙΚΟΣ	Ø X Ø	Dimensions - (mm) - Διαστάσεις
		A
3300/1616	16 X 16	82,0
3300/2016	20 X 16	84,0
3300/2020	20 X 20	82,0
3300/2516	25 X 16	84,0
3300/2520	25 X 20	84,0
3300/2525	25 X 25	89,0
3300/3220	32 X 20	96,0
3300/3225	32 X 25	108,0
3300/3232	32 X 32	117,0

LOCK FITTINGS PN6 ΠΑΚΟΡ ΤΥΠΟΥ LOCK

3294 PN6 Elbow Connection Male Γωνία Ρακόρ Αρσενική




ELBOW CONNECTION
MALE
ΓΩΝΙΑ ΡΑΚΟΡ ΑΡΣΕΝΙΚΗ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø X inch	Dimensions - (mm) - Διαστάσεις			
		A	B	C	G(inch)
3294/0161	16 X ½"	54,5	15,0	75,5	½"
3294/0162	16 X ¾"	58,0	16,5	81,0	¾"
3294/0163	16 X 1"	60,5	18,0	82,5	1"
3294/0201	20 X ½"	54,5	15,0	75,5	½"
3294/0202	20 X ¾"	58,0	16,5	81,0	¾"
3294/0203	20 X 1"	60,5	18,0	82,5	1"
3294/0251	25 X ½"	59,0	15,0	75,5	½"
3294/0252	25 X ¾"	63,0	16,0	81,0	¾"
3294/0253	25 X 1"	65,5	17,5	85,0	1"
3294/0321	32 X ½"	76,0	15,0	95,0	½"
3294/0322	32 X ¾"	80,0	16,0	93,0	¾"
3294/0323	32 X 1"	82,0	17,5	98,0	1"
3294/0324	32 X 1¼"	89,0	24,5	99,0	1¼"

3296 PN6 Elbow Connection Female Γωνία Ρακόρ Θηλυκή



ELBOW CONNECTION
FEMALE
ΓΩΝΙΑ ΡΑΚΟΡ ΘΗΛΥΚΗ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø X inch	Dimensions - (mm) - Διαστάσεις			
		A	B	C	G(inch)
3296/0161	16 X ½"	58,0	17,0	79,0	½"
3296/0162	16 X ¾"	61,0	19,0	83,5	¾"
3296/0163	16 X 1"	62,5	20,5	85,5	1"
3296/0201	20 X ½"	58,0	17,0	79,0	½"
3296/0202	20 X ¾"	61,0	19,0	83,5	¾"
3296/0203	20 X 1"	62,5	20,5	87,0	1"
3296/0251	25 X ½"	63,0	17,0	81,0	½"
3296/0252	25 X ¾"	66,0	19,5	85,5	¾"
3296/0253	25 X 1"	68,0	20,5	87,0	1"
3296/0322	32 X ¾"	84,0	18,0	96,0	¾"
3296/0323	32 X 1"	85,0	21,5	104,0	1"

LOCK FITTINGS

PN6


ΡΑΚΟΡ ΤΥΠΟΥ LOCK

3241

PN6

Coupling Nut

Περίκόχλιο



COUPLING NUT
ΠΕΡΙΚΟΧΛΙΟ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø	Dimensions - (mm) - Διαστάσεις		
		A	B	C
3241/0162	16	36,5	35,5	17,0
3241/0202	20	36,5	35,5	21,5
3241/3202	20*	36,5	35,5	21,5
3241/0253	25	41,5	45,0	26,0
3241/0324	32	49,0	56,0	34,0


* For Embodied Driplines Ø20mm / * Για Ενσωματωμένους Σταλακτηφόρους Σωλήνες Ø20 mm.

3231

PN6

Grip Ring

ΦΙΣ



GRIP RING
ΦΙΣ



SPECIFICATION - ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ

CODE ΚΩΔΙΚΟΣ	Ø	Dimensions - (mm) - Διαστάσεις	
		A	B
3231/0016	16	28,0	23,0
3231/0020	20	28,0	23,0
3231/0025	25	33,5	28,0
3231/0032	32	44,0	38,0

Installation - Εγκατάσταση

